

## VINTAGE CARPET TILES





VINTAGE 2234 LIGHT GREY







VINTAGE 2235 CHARCOAL

## Specifications

**StyleName** 

**Fiber** 

Manufacturing Process

Dye Method

Face (Pile) Carpet Guage

Pile Height

Total Height

**Primary Backing** 

Secondary Backing

Pile Weight

Total Weight

Stitch Rate/inch

Size

**Packing** 

Installation Method

: Vintage

: 100% Polypropylene

: Tufted, Multi - Level Loop Pile

: Solution Dyed

: 1/12 inch

 $: 3.0/4.0/5.0 (\pm 0.2 \text{ mm})$ 

: 6.5 mm

: Non Woven

: Glass Fiber Reinforced PVC

: 600 gms per sqm (±5%)

: 4400 gms per sqm (±5%)

: 10.5 (40/10cm)

: 50 cm x 50 cm

: 20 PCS (5m2) Per Box

: Quarter Turn



















Anti Ctatia

Reduced flammability

resistance

Long life

Dimensional stability

Anti-slip

Bassad Various Tas



Product characteristics may vary due to the nature of manufacture. To combat colour variance do not install more than one dye lot in a single installation. A join line will be visible on plank and tile products due to the format of the design repeat - if you would not like a visiblejoin, alternate the direction of the installation to your desired aesthetic. Sample swatches have been cut from an overall design; therefore, the decoration and shades may vary. A difference in appearance from the pattern is likely, as the product is not intended to have a uniform appearance.